

PATENT

Atty. Dkt. No. YOR920030510US1

IN THE CLAIMS

**RECEIVED
CENTRAL FAX CENTER**

DEC 15 2008

1. (Currently Amended) A method of customizing a rule-based application, the method comprising:

designating a customizable element of a set as a customizable template, the customizable element being selected by an end-user;

compiling said customizable element into at least one object to form a ruleset;

parsing said set to detect said customizable element designated as a customizable template; and

enabling a customization editing of said rule-based application in a deployment runtime environment.

2. (Original) The method of claim 1, wherein said set comprises a ruleset.

3. (Cancelled)

4. (Previously Presented) The method of claim 1, further comprising customizing said customizable element.

5. (Previously Presented) The method of claim 1, wherein said customizable element comprises a variable.

6. (Previously Presented) The method of claim 1, wherein said customizable element comprises a rule.

7. (Previously Presented) The method of claim 1, wherein said customizable element comprises a ruleset.

8. (Original) The method of claim 1, further comprising designating a ruleset of said set as a customizable ruleset template.

PATENT

Atty. Dkt. No. YOR920030510US1

9. (Original) The method of claim 8, further comprising generating a customized ruleset from the customizable ruleset template.

10. (Cancelled)

11. (Original) The method of claim 1, further comprising enabling customization in a development environment.

12. (Original) The method of claim 1, further comprising re-editing a previously generated rule.

13. (Original) The method of claim 1, wherein a new ruleset is generated from a customizable ruleset template, and a pre-existing customizable rule template is associated with said new ruleset and is unchanged.

14. – 31. (Cancelled)

32. (Currently Amended) A method of customizing a rule-based application, the method comprising:

designating a customizable element of a set as a customizable template, the customizable element being selected by an end-user, where the customizable element is one of: a variable, a rule, or a ruleset;

compiling said customizable element into at least one object to form a ruleset;

parsing said set to detect said customizable element designated as a customizable template;

~~enabling customization of said rule-based application in a deployment runtime environment;~~ and

~~customizing editing~~ said customizable element in said ~~deployment runtime~~ environment, where said ~~customizing editing~~ comprises generating a new ruleset from a customizable ruleset template, and where a pre-existing customizable rule template is associated with said new ruleset and is unchanged.